

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims

1-62 (canceled)

Claim 63. (Canceled)

64. (Previously presented) A method of treating acne comprising topically administering to a mammal in need of treatment therefor an effective amount of a composition comprising (a) a compound selected from the group consisting of retinoic acid, esters of retinoic acid and retinol; and (b) a nondenatured botanical extract having trypsin-inhibiting activity selected from the group consisting of the botanical families leguminosae, solanaceae, gramineae, cucurbitaceae and a mixture thereof.

65. (Previously presented) A method according to claim 64 wherein said retinoid compound is retinoic acid.

66. (Previously presented) A method according to claim 64 wherein said retinoid compound is retinol.

67. (Previously presented) A method according to claim 64 wherein said botanical family is leguminosae.

68. (Previously presented) A method according to claim 67 wherein said legume is selected from the group consisting of: nondenatured soybean extract, nondenatured limabean extract, nondenatured blackbean extract and mixtures thereof.

69. (Previously presented) A method according to claim 67 wherein said extract is selected from the group consisting of: fractions of nondenatured soybean extract, nondenatured

limabean extract, nondenatured blackbean extract and mixtures thereof.

70. (Currently amended) A method according to claim ~~68~~ 69 wherein said extract is selected from the group consisting of nondenatured soybean milk, nondenatured limabean milk, nondenatured blackbean milk, nondenatured soybean extract, nondenatured limabean extract, nondenatured blackbean extract, nondenatured soybean paste, nondenatured limabean paste and nondenatured blackbean paste and mixtures thereof.

71. (Previously presented) A method of treating acne comprising topically administering to a mammal in need of treatment therefor an effective amount of a composition comprising (a) a compound selected from the group consisting of retinoic acid, esters of retinoic acid and retinol; and (b) a nondenatured soybean extract having trypsin-inhibiting activity.

72. (Newly presented) A method of treating acne comprising topically administering to a mammal in need of treatment therefor an effective amount of a composition comprising (a) a compound selected from the group consisting of retinoic acid and retinol; and (b) a nondenatured soybean extract having trypsin-inhibiting activity.

73. (Newly presented) A method of treating acne comprising topically administering to a mammal in need of treatment therefor an effective amount of a composition comprising (a) tretinoin and (b) a nondenatured soybean extract having trypsin-inhibiting activity.

74. (Newly presented) A method according to claim 73 wherein said nondenatured soybean extract is selected from the group consisting of soybean milk and soybean paste.

75. (Newly presented) A method of treating acne comprising topically administering to a mammal in need of treatment therefor an effective amount of a composition comprising (a) retinol and (b) a nondenatured soybean extract having trypsin-inhibiting activity.

76. (Newly presented) A method according to claim 75 wherein said nondenatured soybean extract is selected from the group consisting of soybean milk and soybean paste.